



LIGHT UP

DESIGN

Live The up Lifestyle




Let us welcome
you to our latest
collection
of

luminaire, lamps, and accessories which we have carefully selected and hope you will enjoy looking, reading, and selecting. From our beginning in 2009, Light Up Design has always put emphasis on giving customer the best service and quality products from all over the world. We are always on the look for any new products with technological advances and breakthrough design



to include in our catalogue. We pride ourselves in giving the very best support to customers from drawing up lighting plan to installation. Serving all scales of customers from few pieces of luminaire to world class projects, we are proud to have grown from a small company to holding on to family style customer oriented company with goals in exceeding customer's expectations.

LIGHT UP DESIGN

P R O J E C T S



COUNTRY CLUB
MAHASAMUTR LAGOON
LUXURY VILLAS



Contents

| 01 LINEAR LIGHT

| 04 INDOOR LIGHT

Indoor Lighting Bedside Light

Indoor Lighting Wall Light

| 02 INDOOR LIGHT

Indoor Lighting Recess downlight

Indoor Lighting Surface downlight

| 05 OUTDOOR LIGHT

outdoor Lighting Under water

outdoor Lighting Inground

outdoor Lighting SpotLight

outdoor Lighting Bollard

outdoor Lighting Wall Light

outdoor Lighting Recess wall Light

| 03 INDOOR LIGHT

Indoor Lighting Track Light

Indoor Lighting Shelf Light

| 06 DECORATIVE LIGHT

OVERVIEW INDEX


LED FLEXIBLE STRIP LIGHT



Bright Ribbon Neon
(P.13-14)

Bright Neon
(P.15-16)

LINEAR LIGHT



Multi 33
(P.27-28)

Multi 54
(P.29-30)

Multi 74
(P.31-32)

Recess 55
(P.39-40)

Wall
(P.45-46)




Slim
(P.53-54)

Conner R16
(P.55)

Conner R30
(P.56)

Mini
(P.65-66)

Space
(P.67-68)



Space 16T
(P.69-70)

Erase
(P.71-72)

Half
(P.73-74)

Recess 12
(P.75-76)

Recess 25
(P.77-78)

OVERVIEW INDEX

LINEAR LIGHT




Line 35
(P.79)

Inground
(P.80)

Curve 35
(P.95-96)

Curve 35 45°/90°
(P.99-102)

SUSPENSION LIGHT




Dual
(P.87-88)

Tube 60
(P.89-90)

Tube
(P.91-92)

OVERVIEW INDEX

RECESSED DOWNLIGHT




APOLLO
(P.113)

APOLLO
(P.113)

APOLLO
(P.113)

SATURN STRAIGHT
(P.119)

SATURN STRAIGHT
(P.119)



ECLIPSE
(P.114)

ECLIPSE
(P.114)

ECLIPSE
(P.114)

ECLIPSE
(P.114)

SATURN
(P.118)




SATURN
(P.118)

SATURN
(P.118)

SATURN
(P.118)

SLEEK
(P.121)

SLEEK
(P.121)



SLEEK
(P.121)

SLEEK
(P.122)

SLEEK
(P.122)

ICE BOX
(P.115)

ICE BOX
(P.115)

OVERVIEW INDEX

RECESSED DOWNLIGHT



OPEN BOX4
(P.116)

ROXI
(P.117)

ROXI
(P.117)

SEED
(P.120)

SEED
(P.120)



MAXI
(P.123)

MAXI
(P.123)

VISIO
(P.124)

VISIO
(P.124)

VISIO GRAND
(P.125)




VISIO GRAND
(P.125)

VISTA E27
(P.126)

VISTA E27
(P.126)

CURVE A
(P.129)

FREEZE RT-M16
(P.130)




FREEZE RW-M16
(P.130)

ICY
(P.131)

ICY
(P.131)

ROUSO
(P.131)

ROUSO
(P.131)



ROUSO
(P.131)

CAVE DA
(P.133)

BOLA
(P.134)

BOLA
(P.134)

FLASH B
(P.135)

OVERVIEW INDEX

RECESSED DOWNLIGHT



ENZO
(P.136)

COSMO
(P.137)

RECCO
(P.139)

RECCO
(P.139)

RECCO
(P.139)



FLASH BOX
(P.140)

FLASH BOX
(P.140)

FLASH BOX
(P.140)

OPTIMUS
(P.141)

OPTIMUS
(P.141)



OPTIMUS
(P.141)

EDGE
(P.142)

EDGE
(P.142)

EDGE
(P.142)

OPTIC F
(P.145-146)



OPTIC F
(P.145-146)

OPTIC F
(P.145-146)

OPTIC F
(P.145-146)

OVERVIEW INDEX

RECESSED DOWNLIGHT



OPTIC A
(P.147-148)

OPTIC A
(P.147-148)

OPTIC A
(P.147-148)

OPTIC A
(P.147-148)

OPTIC A
(P.149-150)



OPTIC A
(P.149-150)

OPTIC A
(P.149-150)

OPTIC A
(P.149-150)

MOON R
(P.151)

MOON R
(P.151)



MOON S
(P.152)

MOON S2
(P.152)

MOON DEEP
(P.153)

MOON OVAL
(P.153)

SNOOZE S
(P.155)



SNOOZE S
(P.155)

SNOOZE M
(P.156)

SNOOZE M
(P.156)

HIDE
(P.157)

HIDE
(P.157)

OVERVIEW NDEX

RECESSED DOWNLIGHT



SKY
(P.158)

MIDGET D
(P.158)

RADIUS AL
(P.158)

START
(P.159)

JENNY
(P.160)



ZIBRA 1
(P.161)

ZIBRA 2
(P.161)

SLICK R
(P.162)

SLICK S
(P.162)

BUBBLE
(P.163)



BUBBLE
(P.163)

COIN R4
(P.164)

COIN S4
(P.164)

COIN R5
(P.165)

COIN S5
(P.165)



WASHER 10W
(P.166)

SURF
(P.166)

LUNAR R
(P.167)

LUNAR S
(P.167)

COBRA R
(P.168)

OVERVIEW NDEX

SURFACE DOWNLIGHT



COBRA S
(P.168)

SHOOTER 1 GU10
(P.169)

SHOOTER 1 GU10
(P.169)

SHOOTER 2 GU10
(P.169)

SHOOTER 2 GU10
(P.169)




SHOOTER S1
(P.170)

SHOOTER S2
(P.170)

SHOOTER R1
(P.170)

LOOK SURFACE
(P.172)

SHELF LIGHT



BAMBOO
(P.175)

SHOW
(P.177)

SHELF A
(P.178)

SHELF B
(P.178)

SHELF C
(P.178)

OVERVIEW INDEX

TRACK LIGHT



LOOK TRACK
(P.171)

VINCE 8
(P.173)

VINCE 18
(P.173)

ZOOM 18
(P.174)

ZOOM 28
(P.174)

RECESSED WALL LIGHT



Pocket A
(P.194)

Pocket B LED
(P.194)

Paxton L
(P.194)

Paxton S
(P.194)

SUMMIT
(P.197)




NAS
(P.198)

HATCH SQ
(P.201)

HATCH I
(P.201)

UNDER WATER LIGHT



RISE
(P.199)

RISE
(P.199)

MINI RISE
(P.200)

MINI RISE
(P.200)

INGROUND LIGHT



SPARK
(P.250)


SPARK
(P.250)

SPARK
(P.251)

SPARK
(P.251)

OVERVIEW INDEX

INGROUND LIGHT



KLONE 10
(P.255)

KLONE 15
(P.255)

SPOT LIGHT



Shine Cap Spike
(P.248)

Shine Mask Spike
(P.248)

Shine Cap Mount
(P.248)



PROJECT SPIKE
(P.249)

INSTA
(P.250)

RACE R
(P.253)

RACE S
(P.253)

KLONE 1
(P.254)



KLONE 5
(P.254)

PROJECT SURFACE
(P.256)

CRAFT GS
(P.257)

CRAFT BL
(P.257)

CRAFT SM
(P.258)

OVERVIEW INDEX

SPOT LIGHT



CRAFT SM
(P.258)

SPARK PRO S
(P.259)

SPARK PRO S
(P.259)

SPARK PRO M
(P.261)

SPARK PRO M
(P.261)



SPARK PRO M
(P.261)

SPARK PRO XL
(P.263)

SPARK PRO XL
(P.263)

SPARK PRO L
(P.263)

SPARK PRO L
(P.263)

OVERVIEW INDEX

BOLLARD



TRAM
(P.204)

DATNA
(P.206)

KLAMP
(P.208)

MOON
(P.210)

MUFFIN
(P.212)



MITSU
(P.214)

ALP
(P.216)

GINA
(P.218)

SHADOW
(P.232)

GROW
(P.234)

BEDSIDE



SUAU
(P.180)

ROOM
(P.182)

IRIS
(P.183)

LUCA
(P.183)

TANGO
(P.184)



VOLK
(P.184)

ROBOT
(P.185)

AUREA
(P.188)

KUP S
(P.189)

KUP R
(P.189)

OVERVIEW NDEX

WALL LIGHT




TRAM
(P.204)

DATNA
(P.206)

KLAMP
(P.208)

KLAMP
(P.208)

MOON
(P.210)



MUFFIN
(P.212)

MITSU
(P.214)

ALP
(P.216)

GINA
(P.218)

VIEW
(P.220)




PROA
(P.224)

DRAGMA
(P.224)

ÁNCORA
(P.226)

CERES
(P.228)

KUBICK
(P.230)



GROW
(P.234)

CYCLONE
(P.237)


FOSSIL
(P.239)

FOSSIL
(P.239)

JETZ
(P.240)

OVERVIEW NDEX

WALL LIGHT




Mercury C
(P.192)

Mercury E
(P.192)

Puck Quad
(P.193)

Mercury A
(P.193)

Mercury B
(P.193)




Walz
(P.195)

Truck
(P.195)

Dice Smooth
(P.196)

GRAVEX SX
(P.201)

GRAVEX RX
(P.201)




Scale C2
(P.202)

Scale D1
(P.202)

Scale A
(P.202)

Scale B
(P.202)

Scale C1
(P.202)



TROY
(P.236)

TANK
(P.241)

BOOTH
(P.242)

ALTI CHANNEL
(P.243-244)

ALTI PIPE
(P.245-246)

DECORATIVE



FUSTA
(P.268)

TREE
(P.272)

TREE
(P.272)

TREE
(P.272)

LINDA
(P.274)




LINDA
(P.274)

WINCH
(P.276)

WINCH
(P.276)

WINCH
(P.276)

PLANET
(P.278)



HELMET
(P.280)

SIDE
(P.282)

HAN
(P.284)

DUOMO
(P.286)

ROYSTON
(P.288)



ROYSTON
(P.288)

ROYSTON
(P.288)

LOTUS
(P.290)

ASHLEY
(P.292)

STANTON
(P.294)

DECORATIVE



STANTON
(P.294)

COWBELL
(P.296)

BROM
(P.297)

BLOOM
(P.298)

CENTO
(P.299)



CENTO WALL
(P.300)

MARINO
(P.301)

MARINO WALL
(P.302)

SONIC
(P.303-304)

DIAMOND
(P.305-306)



LAVIS
(P.307-308)

DELUXE
(P.309-310)

GALWING
(P.311-312)

CHALIZ
(P.313)

CHALAZ
(P.314)



IRIS ROUND
(P.315)

COTTON
(P.316)

DALIN
(P.317-318)

DELUXE TABLE
(P.319)

MONACO
(P.320)



LINEAR LIGHTING

Linear Lighting Solution System


Provide a full set of solutions for general lighting, decorative lighting and auxiliary lighting from the encapsulation of core component - LED, Flexible/Rigid light source components, the linear lighting luminaries, to the super free customized application system.



Office Lighting



Commercial Lighting




Industrial Lighting




Residential Lighting

Encapsulation Advantage



High CRI

Average CRI Evaluation Indicator




Choose any color as you want

Customize any color, wavelength, CCT, and BIN coordinate of LED light source in addition to conventional color, CCT and BIN.

CRI>95, As Natural As Sunshine

The color reproduction is as natural as sunshine (100) with the CRI ≥ 80 or CRI ≥ 95



CRI > 80


Normal color satisfies
the basic needs of light



CRI > 95

Optimal color reproduction
as natural as sunshine

Customization

**IP**

Available to customize the protection level within the technology supporting range

CRI

Available to customize the CRI range

Available to customize the color

COLOR**LENGTH**

Available to customize the length within the technology supporting range










Available to customize one specific BIN or various BIN

BIN**WIRE**

Available to customize the wire with one end or dual ends

Bright Ribbon

Product List

Model	LEDs/m	VDC	Drawing	Min Cut	FPC Width	CCT	Power (W/m)	Lumens (lm/m)	CRI
 IL10168	140	24		14/100	4		4.8	510	>80
IL10171	60	24		6/100	8		4.8	520	>80
IL10173	140	24		7/50	4		5	70	>80
IL10065	60	24		6/100	8		7.2	600	>80
IL10170	120	24		6/50	8		9.6	921	>80
 IL10169	240	24		12/50	4.5		9.6	790	>80
IL10026-N/24V	120	24		6/50	8		9.6	1040	>80
 IL10122	120	24		6/50	12		9.6	990	>80
IL10027	120	24		6/50	8		14.4	1499	>80
IL10141	60	24		6/100	12		19.2	-	-
 IL10167	120	24		6/50	12		20	-	-
IL10024	240	24		12/50	15		20	2000	>80
IL10024G2	280	24		12/50	20		20	2000	>80
IL10025G2	280	24		12/50	34		25	2800	>80
IL10183	128	24		8/62.5	10		26	3550	>80
IL10029G2	350	24		18/50	58		30	3000	>80
IL10182	160	24		8/50	10		32	4400	>80

Silicone Neon Strip


Silicone Neon strip, as a kind of protective strip, fabricated by the integrated silicone extrusion molding technology with ingress protection up to IP67 and good performance of resistances to saline solutions, acids & alkalis, corrosive gases, fire and UV, which can be widely used for indoor & outdoor stylish design, like corridors, roof corners & edges and other places for decorative lighting.

Bright Neon Series

NEW

Bright Neon (Top View)

- Front emitting for homogenous, soft & dot-free lighting
- Use the dual color silicone & co-extrusion technology to make the cutting line clear and easy to be cut
- Excellent heat dissipation by using the professional structure design of flexible strip + silicone co-extrusion technology
- Outstanding weather resistance keeps it in a normal-soft state at $-40 \sim 80^{\circ}\text{C}$, without adverse scenarios occurred such as brittlement, deformation, softening, and aging
- A variety of protection features such as IP67, resistance to saline solutions, acids & alkalis, corrosive gases and UV



Bright Neon (Side View)

- Side emitting for homogenous, soft & dot-free lighting
- Use the dual color silicone & co-extrusion technology to make the cutting line clear and easy to be cut;
- Excellent heat dissipation by using the professional structure design of flexible strip + silicone co-extrusion technology;
- Outstanding weather resistance keeps it in a normal-soft state at $-40 \sim 80^{\circ}\text{C}$, without adverse scenarios occurred such as brittlement, deformation, softening, and aging
- A variety of protection features such as IP67, resistance to saline solutions, acids & alkalis, corrosive gases and UV







NEW

Bright Neon (Side View)

Price : 1,100 Baht/m IL10151-10

24V DC 5m REEL IP67 2300K 2700K 3000K 4000K 6000K



Basic Parameters

Size	5000 x 12 x 17mm
Cutting unit	50mm
Input voltage	24VDC
Input current	0.4A/1m & 2A/5m
Typ.power	9.6W/m
Max.power	10.6W/m
Bend radius	>60mm

Recommended Accessories




Aluminum clip	L: 25mm, with screws	
Aluminum carrier	L: 1000mm, with screws	
End cap	One outgoing end cap + one plug	
Waterproof wire	L:0.5m, 2P:2 x 0.5mm ²	
Waterproof wire	L:2m, 2P:2 x 0.5mm ²	
Gum filler	10ml/pcs	



NEW

Bright Neon (Top View)

Price : 1,100 Baht/m IL10152-10



Basic Parameters

Size	5000 x 13 x 12mm
Cutting unit	50mm
Input voltage	24VDC
Input current	0.4A/1m & 2A/5m
Typ.power	9.6W/m
Max.power	10.6W/m
Bend radius	>60mm


Recommended Accessories

Aluminum clip	L: 25mm, with screws	
Aluminum carrier	L: 1000mm, with screws	
End cap	One outgoing end cap + one plug	
Waterproof wire	L:0.5m, 2P:2 x 0.5mm ²	
Waterproof wire	L:2m, 2P:2 x 0.5mm ²	
Gum filler	10ml/pcs	







Stylish Lighting System

In order to meet the basic flood lighting and decoration needs, the stylish lighting system is able to move back and forth freely along the edge of ceilings, floors and walls and can be combined into infinite creative styles with highly creative & futuristic lighting effects, giving a completely new definition of space. Designers can tailor the layout and design, which makes everyone to create the lighting styles based on their own preferences so as to enjoy the freedom of design.




Zinger Generation 3 Series

The System, by changing the modular design and installation method of the product, has redefined the function and application mode of linear lighting and has broken the constraints on traditional lighting system, which has achieved "three freedoms", namely, the design freedom of people, the installation freedom of product and the application freedom of environment. Zinger Generation 3 is iterated and upgraded based on the LLS1.0-Zinger Generation 2 design with more corner accessories added to achieve more creative styles.




DESIGN
AWARD
2016

Highlights




Standard Connectors

Six optional standard connectors, and any other special angle can be customized; Seamless connection with appealing design.



Magnetic End Cap

Magnetic absorption design, connect in seconds; Minimalist and trendy appearance without screws.



Independent Light Source Carrier


Reduce high altitude operation for convenient maintenance by separately install and disassemble the light source carrier.

Flexible Installations & connection

Optional installation accessories are available for different application scenarios, for perfect convenience and application in different environments; White and black are non-standard customizations.



Installation



Product List

Model	Drawing	Size	Installation	Coating	CCT	180°	L90	L90N	L90W	T90	X90
Zinger Multi 33		33 x 60 x 2500mm	   	 Silver  White  Black	 2300 K  2700 K  3000 K  4000 K  5000 K  6000 K						
Zinger Multi 54		54 x 70 x 2500mm	   	 Silver  White  Black	 2300 K  2700 K  3000 K  4000 K  5000 K  6000 K						
Zinger Multi 74		79 x 77 x 2500mm	  	 Silver  White  Black	 2300 K  2700 K  3000 K  4000 K  5000 K  6000 K						
Zinger Recess 55		55 x 35 x 2500mm		 Silver  White  Black	 2300 K  2700 K  3000 K  4000 K  5000 K  6000 K						
Zinger Wall		128 x 43 x 2500mm		 Silver  White  Black	 2300 K  2700 K  3000 K  4000 K  5000 K  6000 K						



Zinger
Multi 33 ZR030
 Price : 4,000 Baht/m




2300 K 2700 K 3000 K 4000 K 5000 K 6000 K



Accessories




Optional Accessories



Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10024 15mm	>80	2000lm/m	24VDC	20W/m	240LEDs





Zinger
Multi 54 ZR031
 Price : 5,000 Baht/m




2300 K 2700 K 3000 K 4000 K 5000 K 6000 K



Accessories





Optional Accessories



Lighting Source and Power Supply

Flexible strip					
Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10025G2	>80	2800lm/m	24VDC	25W/m	280LEDs






Zinger
Multi 74 ZR004
Price : 6,400 Baht/m




2300 K 2700 K 3000 K 4000 K 5000 K 6000 K



Accessories




Optional Accessories




Lighting Source and Power Supply


Flexible strip					
Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10029G2 58mm	>80	3000lm/m	24VDC	30W/m	350LEDs




Pendant




Recessed




Surface mounted




Wall mounted



Interconnection Instruction





Zinger Recess 55 ZR033


Price : 4,900 Baht/m



Accessories




Optional Accessories




Lighting Source and Power Supply

Flexible strip


Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10024G2 20mm	>80	2000lm/m	24VDC	20W/m	280LEDs




Recessed (N-shaped)




Recessed (Butterfly clips)




Interconnection Instruction




1




2




3




4




5



6





Zinger
Wall ZR034
 Price : 7,000 Baht/m



Accessories



Profile &
x 1



End cap
x 2



Diffuser
x 1



Screw set
x 2



Cable clip

Optional Accessories



Safety line



180°



L90N




L90W

Lighting Source and Power Supply

Flexible strip


Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10024 15mm	>80	2000lm/m	24VDC	20W/m	240LEDs




43mm

128mm


2507mm




2500mm

Wall mounted 

Interconnection Instruction








Zinger Neon Series

NEW

Products of this series, combined with aluminum profile+silicone neon strips, has banished constraints of traditional PC diffusers, making the installation much convenient, especially for small-sized applications, which has eliminated the installation work for light source & diffuser and brought simplicity and efficiency to installation and maintenance. The silicone neon strip is bendable, waterproof & dustproof design makes the product more expandable.



Highlights

1


Creative lighting design
achieving ultra-slim size

2


Waterproof & dustproof
design for light source
protection

3


Silicone neon strip, install
in seconds just by hold
and press




Ultimate slim with 3.4mm
luminous surface.



Used for outer corner of wall
edges and integrated into the wall
by embedded design.



Used for inner corner of wall edges
and integrated into the wall by
embedded design.



Ultra-slim, wall-mounted up and
down light with 10.5mm thickness.



NEW Zinger
Slim ZR053
 Price : 1,300 Baht/m

2300 K 2700 K 3000 K 4000 K 5000 K 6000 K

Accessories




Profile x 1

End cap
x 2

Lighting Source and Power Supply

Silicone neon strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10173 4mm	>80	70lm/m	24VDC	5W/m	140LEDs





Zinger

Corner R16 ZR051

Price : 2,100 Baht/m





Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs

Accessories



Zinger

Corner R30 ZR009

Price : 2,800 Baht/m





Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10024 15mm	>80	2000lm/m	24VDC	20W/m	240LEDs

Accessories






Furniture Lighting System

The furniture lighting system is perfectly integrated in the cabinet structure and widely used in the full house custom-made furniture system and exhibition & display system with extremely small, narrow and slim design to provide integrated professional lighting solutions for a variety of small spaces from circuit wiring to power supply drive, from system control to intelligent induction, from homogeneous luminous decoration to local focus.



Zinger Multiple Series


the furniture lighting products specially designed by Lightup Design, can be used for wardrobes, cabinets, bookcases and other panel furniture systems to meet the focus lighting needs of local space; this series can also be widely used for shelves, showcases in various types of commercial shops, revealing the luster & vitality of goods incisively and vividly to stimulate customers' purchasing desire; it can also be used for toilet, bathroom, sauna room, bathhouse and other damp environments for auxiliary lighting and atmosphere fostering.




Highlights




Dot-free Light Source:
Perfect homogenous lighting
distribution.



Multiple Emission Angles:
45°, 90° or 0-180° adjustable;
Lighting in the way you wish.



Various Diffusers:
Several optional diffusers;
Various shapes and light distribution.



Small size for various application:
Super slim and thin;
Compact to be placed everywhere.

Product List

Model	Drawing	Size	Installation	Coating	CCT
Zinger Mini		7.8x12x2000mm	 	 Silver	 2700 K  3000 K  4000 K  6000 K
Zinger Space		16x7x2000mm	 	 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Space 16T		16x13x2000mm	 	 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Erase		19.7x19.7x2000mm	  	 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Half		19.7x19.6x2000mm	  	 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Recess 12		12x12x2000mm		 Silver	 2700 K  3000 K  4000 K  6000 K
Zinger Recess 25		25x13x2000mm		 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Line 35		35x35x2000mm	  	 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K
Zinger Inground		37x32x2000mm		 Silver  White  Black	 2700 K  3000 K  4000 K  6000 K




Zinger
Mini ZR014
 Price : 2,000 Baht/m



2700 K 3000 K 4000 K 6000 K





Accessories




Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921 lm/m	24VDC	9.6W/m	120LEDs






Zinger Space ZR008


Price : 2,200 Baht/m




2700 K 3000 K 4000 K 6000 K



Accessories




Optional Accessories



Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs





Zinger
Space 16T ZR032
 Price : 2,000 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Profile x 1



End cap
x 4



Diffuser
x 1



Mounting clip
x 2

Optional Accessories



End cap
with hole
x 2



40° mounting
clip





0-180° adjustable
mounting clip

Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs





Zinger

Erase ZR020

Price : 2,800 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Profile x 1

End cap
x 4Diffuser
x 1Mounting clip
x 2

Optional Accessories

End cap
with hole
x 2Pendant cable
(with junction box)


Pendant cable

180°
extender

Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10024 15mm	>80	2000lm/m	24VDC	20W/m	240LEDs






Zinger

Half ZR055

Price : 1,950 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Profile x 1

End cap
x 4Diffuser
x 1Mounting clip
x 2

Optional Accessories

End cap
with hole
x 2Pendant cable
(with junction box)


Pendant cable

180°
extender

Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs






Zinger

Recess 12 ZR048

Price : 1,800 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Profile x 1

End cap
x 2Diffuser
x 1

Optional Accessories



End cap
with hole
x 2

Recessed buckle

Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10168 4mm	>80	510lm/m	24VDC	4.8W/m	140LEDs






Zinger

Recess 25 ZR049

Price : 1,950 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Profile x 1

End cap
x 2Diffuser
x 1

Optional Accessories


End cap
with hole
x 2

Recessed clips

Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs





Zinger

Line 35 ZR015

Price : 3,800 Baht/m



2700 K 3000 K 4000 K 6000 K



Accessories



Lighting Source and Power Supply

Flexible strip

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10025G2 34mm	>80	2800lm/m	24VDC	25W/m	280LEDs



Zinger


Inground ZR007

Price : 4,900 Baht/m



2700 K 3000 K 4000 K 6000 K


Accessories




Lighting Source and Power Supply

Flexible strip





Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10170 8mm	>80	921lm/m	24VDC	9.6W/m	120LEDs





General Lighting System



The general lighting system is especially designed to provide high quality and diversified professional lighting for people's activities in indoor spaces with a variety of installation ways for different applications and various light distributions for different lighting functions, such as direct, indirect, semi-direct, food, polarizing, spot, anti glare and other needs, conforming to the future trend of the main lighting system.



Zinger Bright Series

NEW

The latest lighting product designed by Lightup Design, has optimized the internal structure of profiles, adopted the anti-glare design with luminous efficiency up to 130lm/W, and brought new trend to light design for expansion module with spot light.



104
INTERNATIONAL DESIGN
EXCELLENCE AWARDS '17
FINALIST



DESIGN
AWARD

Product List



Model	Drawing	Size	Installation	Coating ①	CRI	Typ.power	Lumens	CCT
IL10141 Zinger Dual		73 x 108 x 1210mm		  	>80	(up) 18W (down) 36W (up) 18W (down) 18W	(up) 1800lm (down) 4200lm (up) 1800lm (down) 2400lm	  
IL10029G2 Zinger Tube 60		φ60 x 1214mm		  	>80	35W	2400lm	  
204-ST48-30-5050/24/20 Zinger Tube		φ120 x 1214mm		  	>80	48W	3200lm	  



Zinger

NEW Dual ZR052
Price : 9,500 Baht

3000 K 4000 K 6000 K





1.2m Luminaire Parameters

Flexible Strip Model	IL10141 19.2W 6/100mm	ZR052-DA
Length	1210x73x108mm	1210x73x108mm
Cover	Diffuser	UGR filter diffuser
Lumens	(up)1800lm (down)4200lm (up)1800lm (down)2400lm	(up)1800lm (down)3300lm (up)1800lm (down)1900lm
Typ.power	(up)19.2W (down)36W (up)19.2W (down)18W	(up)19.2W (down)36W (up)19.2W (down)18W
CCT	3000K/4000K/6000K	3000K/4000K/6000K
CRI	>80	>80
Input voltage	100-277VAC 50Hz/60Hz	100-277VAC 50Hz/60Hz
Power factor	>0.95	>0.95
Beam angle	105°	85°
Power installation	Internal	Internal
Electric grade	Class II	Class II
Color	Silver/White/Black	Silver/White/Black
Installation	Pendant	Pendant




Zinger
Tube 60 ZR029
Price : 4,800 Baht



1.2m Luminaire Parameters

Model	IL10183
Length	1214 x ϕ 60mm
Cover	Diffuser
Lumens	2400lm
Typ.power	26W
CCT	3000K/4000K/6000K
CRI	>80
Input voltage	100-277VAC 50Hz/60Hz
Power factor	>0.95
Beam angle	140°
Power installation	External
Electric grade	Class II
Color	Silver/White/Black
Installation	Pendant





Zinger
Tube ZR002
Price : 9,200 Baht



3000 K 4000 K 6000 K



φ120mm



Silver



White



Black

1.2m Luminaire Parameters

Model	IL10182
Length	1213 x φ 120mm
Cover	Diffuser
Lumens	3200lm
Typ.power	32W
CCT	3000K/4000K/6000K
CRI	>80
Input voltage	100-277VAC 50Hz/60Hz
Power factor	>0.95
Beam angle	135°
Power installation	External
Electric grade	Class II
Color	Silver/White/Black
Installation	Pendant

Zinger Curve Series

New

Infinite creativities are stimulated in the collision of lines and arcs. Thousands of shapes are derived by combining different diameters, radians and lengths as well as unrestricted flow & move of light in space.




Flexible diffuser 20m/roll, without connections and light leakage for over length application

Varieties of radians can make the arcs connected with lines freely

Zinger Curve 35

New

ZR015
Price : 3,800 Baht/m



Profile flexible cutting size



L min = (1×100mm) + (2 ×1.5mm)=103mm

L max = (25 ×100mm) + (2 ×1.5mm)=2503mm



- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections and light leakage for over length application
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with diffusers producing homogeneous and soft lighting
- Various installation ways: pendant, recessed and surface mounted

PHOTOMETRIC OF 1M LUMINAIRE



Interconnection Accessories

180 ° extender EX-02
55 ×10 × 2mm

extender arc EX-06

Installation Accessories

Pendant cable PY-SSXX
(with junction box) 2m/4m

Pendant cable PN-SXX
2m/4m

Others


Diffuser CV-AS3535-20000
20m

Profile Components

profile × 1 PR-AS3535
35 × 35 × 2500mm

End Cap × 2 EC-AS3535
35 × 35 × 1.5mm


Screw set × 3 CL-01
M3.5 × 40mm



Lighting Source and Power Supply

Rigid modular

Model	CRI	Lumens	Voltage	Typpower	LEDs/m
IL10024G2 20mm	>80	2000lm/pcs	24VDC	20W/pcs	280LEDs



Φ800mm, Curve 90° (Lighting Downward),
45° Rigid Modular



Φ800mm, Curve 45° (Lighting Downward),
45° Rigid Modular



Φ1500mm, Curve 90° (Lighting Downward),
45° Rigid Modular



Φ1500mm, Curve 45° (Lighting Downward),
45° Rigid Modular



Φ1500mm, Curve 90° (Lighting Inward),
Flexible Strip



Φ1500mm, Curve 90° (Lighting Outward),
Flexible Strip



Φ3000mm, Curve 45° (Lighting Downward),
22.5° Rigid Modular




Straight Line (2500mm),
Rigid Module (499mm)




Zinger Curve 35 45° / 90°

New Price 1,500 Baht/m (45°)/Unit
2,000 Baht/m (90°)/Unit





Application



1m	19.36,74.70lx	320.81cm
2m	4.840,18.68lx	641.62cm
3m	2.151,8.300lx	962.42cm
5m	0.7743,2.988lx	1604.04cm
7m	0.3951,1.524lx	2245.66cm
Height	Eavg,Emax	Angle:116.12deg Diameter

- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections for over length application and light leakage
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with diffusers producing homogeneous and soft lighting
- Various installation ways: pendant, recessed and surface mounted



Lighting Source and Power Supply

Rigid modular

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10065	>80	600lm/pcs	24VDC	7.2W/pcs	60LEDs

Interconnection Accessories

Extender arc EX-06

Positive arc EX-07

Reverse arc EX-08

Installation Accessories

Pendant cable PY-SSXX
(with junction box) 2m/4m

Pendant cable PN-SXX
2m/4m

Others

Diffuser CV-AS3535-20000
20m


Profile Components

profile x1 PR-AS3535-08A45
35x35mm,D800mm,45°

PR-AS3535-08A90
35x35mm,D800mm,90°


End Cap x2 EC-AS3535
35x35x1.5mm

Screw set x3 CL-01
M3.5x40mm



Application Principle

Straight modules can be cut in different lengths and angles freely for application. Curve modules and straight modules can be interconnected with accessories for random interconnection and application. Through the modules of lighting inward/lighting outward, the 3D spacial application could be realized. Limitless possibilities lead to limitless applications and thousands of styles.



Interconnection Accessories

Extender arc EX-06

Positive arc EX-07

Reverse arc EX-08

Installation Accessories

Pendant cable (with junction box) PY-SSXX 2m/4m

Pendant cable PN-SXX 2m/4m

Others

Diffuser CV-AS3535-20000 20m

Profile Components ①

profile ×1 PR-AS3535-15A45 35x35mm D1500mm 45°

PR-AS3535-15A90 35x35mm D1500mm 90°



End cap ×2 EC-AS3535 35x35x1.5mm

Screw set ×3 CL-01 M3.5x40mm



Lighting Source and Power Supply

Rigid modular

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10141	>80	2566lm/m	24VDC	19.2W/m	60LEDs



Application :



- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections for over length application and light leakage
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with diffusers producing homogeneous and soft lighting
- Various installation ways: pendant, recessed and surface mounted



φ 3m
(Lighting Downward)



φ 1.5m
(Lighting Outward)



φ 1.5m
(Lighting Inward)



φ 1.5m
(Lighting Downward)




φ 0.8m
(Lighting Downward)

Product Feature




Flexible diffuser

Silicone flexible diffuser, 20m/roll ultra-long application, without interconnection and light leakage. Surface adopts dust-proof design.




Profile

AL6063 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver.




Flexible strip

Suitable for straight module / lighting inward module/ lighting outward module, freely cutting, freely application.



Rigid modular

The aluminum substrate rigid modular light source offers better heat dissipation, and producing homogenous & soft lighting. Wago connector, solder-free, insert to connect.



Interconnection accessories

Multiple interconnection accessories, the interconnection of straight line and straight line, straight line and curve, curve and curve in different diameters, different radii and different lengths could be done.



Installation accessories



Multiple installation methods optional: pendant, recessed, surface mounted, wall mounted.

AS ENTHUSIASTIC AS THE DANCE




Interconnected Use

The straight lines in different lengths and curves with different radii can be combined and interconnected freely, they can be interconnected and extended on the ceiling for varieties of styles, or interconnected in vertical or horizontal space for pendant, or used freely in the 3D space along the edge of ceiling, wall and floor.




Limitless extension on the ceiling



- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections for over length application and light leakage
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with diffusers producing homogeneous and soft lighting
- Various installation ways: pendant, recessed and surface mounted



Application



Interconnection Accessories

Extender arc EX-06

Positive arc EX-07

Reverse arc EX-08

Installation Accessories

Pendant cable (with junction box) PY-SSXX 2m/4m

Pendant cable PN-SXX 2m/4m

Others

Diffuser CV-AS3535-20000 20m

Profile Components

profile x1 PR-AS3535-30A45 35x35mm ,D3000mm, 45°

End Cap x2 EC-AS3535 35x35x1.5mm

Screw setx3 CL-01 M3.5x40mm

Lighting Source and Power Supply


Rigid modular

Model	CRI	Lumens	Voltage	Typ.power	LEDs/m
IL10027	>80	1300lm/pcs	24VDC	11.6W/pcs	120LEDs

AS ROMANTIC AS THE MUSIC

Combined Use

The whole-circular or curve modules with different diameters and light emitting directions can be arranged in orders, interspersed alternately, or combined disorderly.



2




INDOOR LIGHT




APOLLO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R2A0009	1xTC-DSE	E27	20	○●●	Aluminium	1,400 Baht
2	IR20018-S	1xTC-DSE	E27	20	○●●	Steel	290 Baht
3	IR20018-M	1xTC-DSE	E27	20	○●●	Steel	480 Baht




ECLIPSE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR20003	1xTC-DSE	E27	20	○●●	Steel	520 Baht
2	IR40012	1xTC-DSE	E27	20	○●●	Steel	550 Baht
3	IR40013	1xTC-DSE	E27	44	○●●	Steel+Glass	690 Baht
4	IR40014	2xTC-DSE	E27	44	○●●	Steel	690 Baht
5	IR40015	2xTC-DSE	E27	44	○●●	Steel+Glass	850 Baht




ICE BOX

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUR1002	1xTC-DSE	E27	20	○●●	Aluminium + Steel+Glass	490 Baht
2	LUR1008	2xTC-DSE	E27	20	○●●	Aluminium + Steel+Glass	800 Baht



OPEN BOX 4

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUR1029	1xTC-DSE	E27	20	○●●	Steel	390 Baht



ROXI

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUR1020-1	1xTC-DSE	E27	20	○ ● ●	Steel	450 Baht
2	LUR1020-2	2xTC-DSE	E27	20	○ ● ●	Steel	650 Baht



SATURN

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR10003-1	1xTC-DSE	E27	20	○ ● ●	Steel	365 Baht
2	IR10003-2	2xTC-DSE	E27	20	○ ● ●	Steel	500 Baht
3	IR10008-1	1xTC-DSE	E27	44	○ ● ●	Steel+Glass	400 Baht
4	IR10008-2	2xTC-DSE	E27	44	○ ● ●	Steel+Glass	600 Baht




SATURN STRAIGHT SEALED

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUR1018-S	1xTC-DSE	E27	44	○ ● ●	Steel+Glass	270 Baht
2	LUR1018-M	1xTC-DSE	E27	44	○ ● ●	Steel+Glass	370 Baht




SEED

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUR1017	1xTC-DSE	E27	20	○ ● ●	Steel	600 Baht
2	LUR1017-G	1xTC-DSE	E27	44	○ ● ●	Steel+Glass	650 Baht




SLEEK

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR20024-R-GU10	1xQPAR16 Max 50W	GU10	20	○●●	Aluminium	520 Baht
2	IR20023-S-GU10	1xQPAR16 Max 50W	GU10	20	○●●	Aluminium	520 Baht
3	IR20021-R4	1xTC-DSE	E27	20	○●●	Aluminium	480 Baht
4	IR20021-R6	1xTC-DSE	E27	20	○●●	Aluminium	550 Baht




SLEEK

	Product	Lamp	Socket	IP	Color	Materials	Price
5	IR20020-1	1xTC-DSE	E27	20	○●●	Aluminium	500 Baht
6	IR20020-2	2xTC-DSE	E27	20	○●●	Aluminium	850 Baht



MAXI

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR40032-1	1xTC-DSE	E27	20	○●●	Aluminium + Glass	1,550 Baht
2	IR40032-2	2xTC-DSE	E27	20	○●●	Aluminium + Glass	1,600 Baht





VISIO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC20016-1	1xTC-DSE	E27	20	○●●	Aluminium+Steel	750 Baht
2	IC20016-2	2xTC-DSE	E27	20	○●●	Aluminium+Steel	1,100 Baht



VISIO GRAND

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC20018-1	1xTC-DSE	E27	20	○●●	Aluminium+Steel	750 Baht
2	IC20018-2	2xTC-DSE	E27	20	○●●	Aluminium+Steel	1,150 Baht



VISTA E27


	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR20001-1	1xTC-DSE	E27	20	○●●	Aluminium	1,350 Baht
2	IR20001-2	2xTC-DSE	E27	20	○●●	Aluminium	1,900 Baht






CURVE A

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0118	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	1,100 Baht



FREEZE RT-M16 | FREEZE RW-M16

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR40009	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	390 Baht
2	IR40008	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	370 Baht



ICY



ROUSO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0119	1xQR-CBC51 Max 50W	GU5.3	44	○ ● ●	Aluminium +Glass	590 Baht
2	R4B0120	1xQR-CBC51 Max 50W	GU5.3	44	○ ● ●	Aluminium +Glass	550 Baht

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0039	1xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium	660 Baht
2	R4B0038	1xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium	590 Baht
3	R4B0036	1xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium	590 Baht



CAVE DA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR20011	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	650 Baht



BOLA

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	R6215	10W COB LED	820lm	2700K-6000K	90	36° 60°	20	○ ● ●	Aluminium	1,750 Baht
2	R6020	10W COB LED	820lm	2700K-6000K	90	36° 35°	20	○ ● ●	Aluminium	1,750 Baht



FLASH B

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0068	1xQR-CBC51 Max 50W	GU5.3	20	●	Aluminium	790 Baht



ENZO


	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR40040	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	900 Baht
2	IR40039	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	900 Baht



COSMO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR40048	1xQR-CBC51 Max 50W	GU5.3	20	○●●	Aluminium	380 Baht





RECCO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0033	1xQR-CBC51 Max 50W	GU5.3	20		Aluminium	660 Baht
2	R4B0032	1xQR-CBC51 Max 50W	GU5.3	20		Aluminium	590 Baht
3	R4B0030	1xQR-CBC51 Max 50W	GU5.3	20		Aluminium	590 Baht




FLASH BOX

	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0022	1xQR-CBC51 Max 50W	GU5.3	20	●	Aluminium	1,250 Baht
2	R4B0023	2xQR-CBC51 Max 50W	GU5.3	20	●	Aluminium	1,950 Baht
3	R4B0024	3xQR-CBC51 Max 50W	GU5.3	20	●	Aluminium	2,600 Baht

Fully
Adjustable

OPTIMUS


	Product	Lamp	Socket	IP	Color	Materials	Price
1	R4B0001	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	750 Baht
2	R4B0002	2xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	1,250 Baht
3	R4B0003	3xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	2,000 Baht

Fully
Adjustable


EDGE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IR40001	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	950 Baht
2	IR40002	2xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	1,600 Baht
3	IR20012	3xQR-CBC51Max 50W	GU5.3	20	○ ● ●	Aluminium+Steel	2,300 Baht







5W Ra>90




18W Ra>90



8W Ra>90



23W Ra>90



OPTIC F

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30230-5W	5W COB LED	332lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	2,000 Baht
2	IC30230-8W	8W COB LED	530lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	2,500 Baht

Accessories

Dark

White

Pearl Black

Chrome

Gold

Striped glass

Woven glass

Honeycomb cover

Wide-angle Stretch Film

Narrow angle Film




Wide angle Film



5W Ra>90

																																																																											
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>13448</td><td>0,15</td></tr><tr><td>2</td><td>3362</td><td>0,30</td></tr><tr><td>3</td><td>1494</td><td>0,45</td></tr><tr><td>4</td><td>840,5</td><td>0,60</td></tr><tr><td>5</td><td>537,9</td><td>0,75</td></tr></table>	H(m)	E(lx)	D(m)	1	13448	0,15	2	3362	0,30	3	1494	0,45	4	840,5	0,60	5	537,9	0,75	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>8026</td><td>0,23</td></tr><tr><td>2</td><td>2006</td><td>0,46</td></tr><tr><td>3</td><td>891,8</td><td>0,69</td></tr><tr><td>4</td><td>501,6</td><td>0,93</td></tr><tr><td>5</td><td>321,0</td><td>1,16</td></tr></table>	H(m)	E(lx)	D(m)	1	8026	0,23	2	2006	0,46	3	891,8	0,69	4	501,6	0,93	5	321,0	1,16	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>3628</td><td>0,37</td></tr><tr><td>2</td><td>907,0</td><td>0,74</td></tr><tr><td>3</td><td>403,1</td><td>1,12</td></tr><tr><td>4</td><td>226,8</td><td>1,49</td></tr><tr><td>5</td><td>145,1</td><td>1,86</td></tr></table>	H(m)	E(lx)	D(m)	1	3628	0,37	2	907,0	0,74	3	403,1	1,12	4	226,8	1,49	5	145,1	1,86	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>1694</td><td>0,60</td></tr><tr><td>2</td><td>423,5</td><td>1,20</td></tr><tr><td>3</td><td>188,2</td><td>1,80</td></tr><tr><td>4</td><td>105,9</td><td>2,40</td></tr><tr><td>5</td><td>67,76</td><td>3,00</td></tr></table>	H(m)	E(lx)	D(m)	1	1694	0,60	2	423,5	1,20	3	188,2	1,80	4	105,9	2,40	5	67,76	3,00
H(m)	E(lx)	D(m)																																																																									
1	13448	0,15																																																																									
2	3362	0,30																																																																									
3	1494	0,45																																																																									
4	840,5	0,60																																																																									
5	537,9	0,75																																																																									
H(m)	E(lx)	D(m)																																																																									
1	8026	0,23																																																																									
2	2006	0,46																																																																									
3	891,8	0,69																																																																									
4	501,6	0,93																																																																									
5	321,0	1,16																																																																									
H(m)	E(lx)	D(m)																																																																									
1	3628	0,37																																																																									
2	907,0	0,74																																																																									
3	403,1	1,12																																																																									
4	226,8	1,49																																																																									
5	145,1	1,86																																																																									
H(m)	E(lx)	D(m)																																																																									
1	1694	0,60																																																																									
2	423,5	1,20																																																																									
3	188,2	1,80																																																																									
4	105,9	2,40																																																																									
5	67,76	3,00																																																																									
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	8° 619lm 506,5lm 81,8%	12° 619lm 517,7lm 83,6%	24° 619lm 530,9lm 85,8%																																																																								
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	36° 619lm 519,2lm 83,9%																																																																										



18W Ra>90

																																																								
																																																								
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>13095,33</td><td>0,31</td></tr><tr><td>2</td><td>3273,83</td><td>0,63</td></tr><tr><td>3</td><td>1455,04</td><td>0,94</td></tr><tr><td>4</td><td>818,46</td><td>1,25</td></tr><tr><td>5</td><td>523,81</td><td>1,56</td></tr></table>	H(m)	E(lx)	D(m)	1	13095,33	0,31	2	3273,83	0,63	3	1455,04	0,94	4	818,46	1,25	5	523,81	1,56	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>8535,19</td><td>0,41</td></tr><tr><td>2</td><td>2133,80</td><td>0,81</td></tr><tr><td>3</td><td>948,35</td><td>1,22</td></tr><tr><td>4</td><td>533,45</td><td>1,62</td></tr><tr><td>5</td><td>341,41</td><td>2,03</td></tr></table>	H(m)	E(lx)	D(m)	1	8535,19	0,41	2	2133,80	0,81	3	948,35	1,22	4	533,45	1,62	5	341,41	2,03	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>4838,18</td><td>0,59</td></tr><tr><td>2</td><td>1209,55</td><td>1,18</td></tr><tr><td>3</td><td>1209,55</td><td>1,76</td></tr><tr><td>4</td><td>302,39</td><td>2,35</td></tr><tr><td>5</td><td>302,39</td><td>2,94</td></tr></table>	H(m)	E(lx)	D(m)	1	4838,18	0,59	2	1209,55	1,18	3	1209,55	1,76	4	302,39	2,35	5	302,39	2,94
H(m)	E(lx)	D(m)																																																						
1	13095,33	0,31																																																						
2	3273,83	0,63																																																						
3	1455,04	0,94																																																						
4	818,46	1,25																																																						
5	523,81	1,56																																																						
H(m)	E(lx)	D(m)																																																						
1	8535,19	0,41																																																						
2	2133,80	0,81																																																						
3	948,35	1,22																																																						
4	533,45	1,62																																																						
5	341,41	2,03																																																						
H(m)	E(lx)	D(m)																																																						
1	4838,18	0,59																																																						
2	1209,55	1,18																																																						
3	1209,55	1,76																																																						
4	302,39	2,35																																																						
5	302,39	2,94																																																						
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	15° 1740lm 1573,9lm 90,45%	22° 1740lm 1595lm 91,66%	35° 1740lm 1505,2lm 86,50%																																																					

8W Ra>90

																																																																											
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>2511</td><td>0,39</td></tr><tr><td>2</td><td>627,9</td><td>0,78</td></tr><tr><td>3</td><td>279,0</td><td>1,17</td></tr><tr><td>4</td><td>157,0</td><td>1,56</td></tr><tr><td>5</td><td>100,5</td><td>1,95</td></tr></table>	H(m)	E(lx)	D(m)	1	2511	0,39	2	627,9	0,78	3	279,0	1,17	4	157,0	1,56	5	100,5	1,95	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>2059</td><td>0,45</td></tr><tr><td>2</td><td>514,7</td><td>0,90</td></tr><tr><td>3</td><td>228,8</td><td>1,36</td></tr><tr><td>4</td><td>128,7</td><td>1,81</td></tr><tr><td>5</td><td>82,36</td><td>2,26</td></tr></table>	H(m)	E(lx)	D(m)	1	2059	0,45	2	514,7	0,90	3	228,8	1,36	4	128,7	1,81	5	82,36	2,26	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>1223</td><td>0,64</td></tr><tr><td>2</td><td>305,7</td><td>1,29</td></tr><tr><td>3</td><td>135,9</td><td>1,94</td></tr><tr><td>4</td><td>76,42</td><td>2,59</td></tr><tr><td>5</td><td>48,91</td><td>3,24</td></tr></table>	H(m)	E(lx)	D(m)	1	1223	0,64	2	305,7	1,29	3	135,9	1,94	4	76,42	2,59	5	48,91	3,24	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td>1</td><td>613,4</td><td>1,06</td></tr><tr><td>2</td><td>153,3</td><td>2,13</td></tr><tr><td>3</td><td>68,15</td><td>3,19</td></tr><tr><td>4</td><td>38,34</td><td>4,26</td></tr><tr><td>5</td><td>24,54</td><td>5,33</td></tr></table>	H(m)	E(lx)	D(m)	1	613,4	1,06	2	153,3	2,13	3	68,15	3,19	4	38,34	4,26	5	24,54	5,33
H(m)	E(lx)	D(m)																																																																									
1	2511	0,39																																																																									
2	627,9	0,78																																																																									
3	279,0	1,17																																																																									
4	157,0	1,56																																																																									
5	100,5	1,95																																																																									
H(m)	E(lx)	D(m)																																																																									
1	2059	0,45																																																																									
2	514,7	0,90																																																																									
3	228,8	1,36																																																																									
4	128,7	1,81																																																																									
5	82,36	2,26																																																																									
H(m)	E(lx)	D(m)																																																																									
1	1223	0,64																																																																									
2	305,7	1,29																																																																									
3	135,9	1,94																																																																									
4	76,42	2,59																																																																									
5	48,91	3,24																																																																									
H(m)	E(lx)	D(m)																																																																									
1	613,4	1,06																																																																									
2	153,3	2,13																																																																									
3	68,15	3,19																																																																									
4	38,34	4,26																																																																									
5	24,54	5,33																																																																									
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	18° 666lm 483,7lm 72,6%	24° 666lm 500,6lm 75,1%	36° 666lm 500,7lm 75,2%	60° 666lm 465,2lm 69,8%																																																																							

23W Ra>90

																																																																	
																																																																	
<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td></td><td></td><td>15°</td></tr><tr><td>1</td><td>16769,94</td><td>0,31</td></tr><tr><td>2</td><td>4192,48</td><td>0,63</td></tr><tr><td>3</td><td>1863,33</td><td>0,94</td></tr><tr><td>4</td><td>1048,12</td><td>1,25</td></tr><tr><td>5</td><td>670,80</td><td>1,56</td></tr></table>	H(m)	E(lx)	D(m)			15°	1	16769,94	0,31	2	4192,48	0,63	3	1863,33	0,94	4	1048,12	1,25	5	670,80	1,56	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td></td><td></td><td>22°</td></tr><tr><td>1</td><td>11034,76</td><td>0,41</td></tr><tr><td>2</td><td>2758,69</td><td>0,81</td></tr><tr><td>3</td><td>1226,08</td><td>1,22</td></tr><tr><td>4</td><td>689,67</td><td>1,62</td></tr><tr><td>5</td><td>441,39</td><td>2,03</td></tr></table>	H(m)	E(lx)	D(m)			22°	1	11034,76	0,41	2	2758,69	0,81	3	1226,08	1,22	4	689,67	1,62	5	441,39	2,03	<table><tr><th>H(m)</th><th>E(lx)</th><th>D(m)</th></tr><tr><td></td><td></td><td>35°</td></tr><tr><td>1</td><td>6170,04</td><td>0,59</td></tr><tr><td>2</td><td>1542,51</td><td>1,18</td></tr><tr><td>3</td><td>685,56</td><td>1,76</td></tr><tr><td>4</td><td>385,63</td><td>2,35</td></tr><tr><td>5</td><td>246,80</td><td>2,94</td></tr></table>	H(m)	E(lx)	D(m)			35°	1	6170,04	0,59	2	1542,51	1,18	3	685,56	1,76	4	385,63	2,35	5	246,80	2,94
H(m)	E(lx)	D(m)																																																															
		15°																																																															
1	16769,94	0,31																																																															
2	4192,48	0,63																																																															
3	1863,33	0,94																																																															
4	1048,12	1,25																																																															
5	670,80	1,56																																																															
H(m)	E(lx)	D(m)																																																															
		22°																																																															
1	11034,76	0,41																																																															
2	2758,69	0,81																																																															
3	1226,08	1,22																																																															
4	689,67	1,62																																																															
5	441,39	2,03																																																															
H(m)	E(lx)	D(m)																																																															
		35°																																																															
1	6170,04	0,59																																																															
2	1542,51	1,18																																																															
3	685,56	1,76																																																															
4	385,63	2,35																																																															
5	246,80	2,94																																																															
Beam Angle Light Source Luminous Flux Lighting Luminous Flux Luminaire Efficiency	15° 2230lm 2018,8lm 90,53%	22° 2230lm 2025,7lm 90,84%	35° 2230lm 1920,8lm 86,12%																																																														

OPTIC A

Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price	
1	IC30215-5W	5W COBLED	332lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	2,000 Baht
2	IC30215-8W	8W COBLED	530lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	2,500 Baht

Accessories

 Dark

 White

 Pearl Black

 Chrome

 Gold

 Striped glass

 Woven glass

 Honeycomb cover

 Wide-angle Stretch Film

 Narrow angle Film

 Wide angle Film

OPTIC A

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30231-18W	18W COB LED	1505lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	3,500 Baht
2	IC30231-23W	23W COB LED	2025lm	2700K-6000K	90	8° 12° 24° 36° 60°	20	  	Aluminium	4,500 Baht

Accessories


DarkWhitePearl BlackChromeGold


Striped glassWoven glassHoneycomb cover


Wide-angle Stretch FilmNarrow angle FilmWide angle Film




5W Ra>90




8W Ra>90



5W Ra>90



8W Ra>90









OPTIC W

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30218-5W	5W COB LED	289lm	2700K-6000K	90	45°	20	○●●	Aluminium	2,600 Baht
2	IC30218-8W	8W COB LED	625lm	2700K-6000K	90	45°	20	○●●	Aluminium	2,900 Baht

OPTIC W

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30232-5W	5W COB LED	289lm	2700K-6000K	90	45°	20	○●●	Aluminium	2,900 Baht
2	IC30232-8W	8W COB LED	625lm	2700K-6000K	90	45°	20	○●●	Aluminium	3,400 Baht







MOON R

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30233-13W	13W COB LED	798lm	2700K-6000K	90	60°	20	○●●	Aluminium	2,200 Baht
2	IC30234-23W	23W COB LED	1858lm	2700K-6000K	90	60°	20	○●●	Aluminium	3,100 Baht


MOON S | MOON S2

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30235-113W	13W COB LED	1107lm	2700K-6000K	90	15° 22° 35°	20	○●●	Aluminium	2,300 Baht
2	IC30235-213W	2x13W COB LED	2x1107lm	2700K-6000K	90	15° 22° 35	20	○●●	Aluminium	4,600 Baht



MOON DEEP | MOON OVAL

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30237-113W	13W COB LED	1107lm	2700K-6000K	90	15° 22° 35°	20	○ ● ●	Aluminium	2,300 Baht
2	IC30237-213W	2x13W COB LED	2x1107lm	2700K-6000K	90	15° 22° 35°	20	○ ● ●	Aluminium	4,600 Baht




SNOOZE S

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30223-3W	3W SMD LED	181lm	2700K-6000K	90	10° 15° 25°30°50°	20	○●●	Aluminium	1,100 Baht
2	IC30228-13W	13W COB LED	619lm	2700K-6000K	90	8° 12° 24°36°60°	20	○●●	Aluminium	6,300 Baht

SNOOZE M

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30224-8W	8W COB LED	565lm	2700K-6000K	90	15° 22° 35°	20	○●●	Aluminium	3,500 Baht
2	IC30239-28W	28W COB LED	2602lm	2700K-6000K	90	15° 22° 35°	20	○●●	Aluminium	4,800 Baht




HIDE


	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30225-118W	18W COB LED	1520lm	2700K-6000K	90	15° 22° 35°	40	○ ● ●	Aluminium	2,800 Baht
2	IC30225-218W	2x18W COB LED	2x1520lm	2700K-6000K	90	15° 22° 35°	40	○ ● ●	Aluminium	5,600 Baht
3	IC30225-318W	3x18W COB LED	3x1520lm	2700K-6000K	90	15° 22° 35°	40	○ ● ●	Aluminium	8,400 Baht




SKY



MIDGET D



RADIUS AL




	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30183-10W	10W SMD LED	902lm	2700K-6000K	90	45°	44	○ ● ●	Aluminium	1,950 Baht
2	R3B0016	3W SMD LED	210lm	2700K-6000K	90	24° 25°	44	○ ● ●	Aluminium	1,500 Baht
3	R3A0071	1W SMD LED	65lm	2700K-6000K	90	110°	44	○ ● ●	Aluminium	1,950 Baht




START

Product	Lamp	Socket	IP	Color	Materials	Price
1 IC30132	1xQR-CBC51 Max 50W	GU5.3	20	  	Aluminium	850 Baht
Optional Front Frame						
          Sand White Sand White/Gold Sand White/Black Sand Black Sand Black/Gold Sand White Sand White/Black Sand White/Gold Sand Black/Gold Sand Black						




JENNY

Product	Lamp	Socket	IP	Color	Materials	Price
1 IC30182	1xQR-CBC51 Max 50W	GU5.3	20	  	Aluminium	600 Baht



ZIBRA 1 | ZIBRA 2

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC30136-1	1xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	650 Baht
2	IC30136-2	2xQR-CBC51 Max 50W	GU5.3	20	○ ● ●	Aluminium	1,350 Baht



SLICK R | SLICK S

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC30140	1xQR111 Max 50W	G53	20	○ ● ●	Aluminium	950 Baht
2	IC30141	1xQR111 Max 50W	G53	20	○ ● ●	Aluminium	1,000 Baht




BUBBLE

COIN R4 | COIN S4

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30240-3W	3W SMD LED	120lm	2700K-6000K	80	25°	20	○●●	Aluminium	1,150 Baht
2	IC30245-8W	7W COB LED	540lm	2700K-6000K	80	15° 24° 35°	20	○●●	Aluminium	1,700 Baht

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30241-3W	3W SMD LED	150lm	2700K-6000K	80	8° 15° 24°	20	○●●	Aluminium	1200 Baht
2	IC30242-3W	3W SMD LED	150lm	2700K-6000K	80	8° 15° 24°	20	○●●	Aluminium	1200 Baht



COIN R5 | COIN S5



LUNAR R | LUNAR S


	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30243-3W	3W COB LED	150lm	2700K-6000K	80	8° 15° 24°	20	○ ● ●	Aluminium	1,100 Baht
2	IC30244-3W	3W COB LED	150lm	2700K-6000K	80	8° 15° 24°	20	○ ● ●	Aluminium	1,100 Baht

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30247-R	12W COB LED	950lm	2700K-6000K	90	15° 24° 35°	20	○ ● ●	Aluminium	1,700 Baht
2	IC30214-S	12W COB LED	950lm	2700K-6000K	90	15° 24° 35°	20	○ ● ●	Aluminium	1,900 Baht



COBRA R | COBRA S

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30248-12W	12W COB LED	950lm	2700K-6000K	80	15° 24° 35°	20	○ ● ●	Aluminium	2,600 Baht
2	IC30249-12W	12W COB LED	950lm	2700K-6000K	80	15° 24° 35°	20	○ ● ●	Aluminium	4,800 Baht



WASHER 10W | SURF E1 | SURF E2

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30246-10W	10W SMD LED	570lm	2700K-6000K	90	18°	20	○ ● ●	Aluminium	2,900 Baht

	Product	Lamp	Socket	IP	Color	Materials	Price
2	IC40010	1XTC-DSE	E27	65	○ ● ●	Aluminium Housing	1,400 Baht
3	IC40011	2XTC-DSE	E27	65	○ ● ●	Aluminium Housing	2,500 Baht



SHOOTER 1 GU10 | SHOOTER 2 GU10

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC40042	1xQPAR16 Max 50W	GU10	20	○●●	Aluminium Housing	900 Baht
2	IC40044	1xQPAR16 Max 50W	GU10	20	○●●	Aluminium Housing	950 Baht
3	IC40043	2xQPAR16 Max 50W	GU10	20	○●●	Aluminium Housing	1,800 Baht
4	IC40045	2xQPAR16 Max 50W	GU10	20	○●●	Aluminium Housing	1,900 Baht




SHOOTER S1 | SHOOTER R1 | SHOOTER S2

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC40050-110W	10W COB LED	840lm	2700K-6000K	80	15° 24° 35°	20	○●●	Aluminium	2,600 Baht
2	IC40052-7W	7W COB LED	510lm	2700K-6000K	80	15° 24° 35°	20	○●●	Aluminium	2,200 Baht
2.1	IC40052-12W	12W COB LED	940lm	2700K-6000K	80	15° 24° 35°	20	○●●	Aluminium	2,900 Baht
3	IC40050-210W	2x10W COB LED	1700lm	2700K-6000K	80	15° 24° 35°	20	○●●	Aluminium	4,600 Baht

3




INDOOR LIGHT
TRACK LIGHT, SHELF LIGHT




LOOK TRACK

	Product	Lamp	Socket	IP	Color	Materials	Price
1	ITR30018-1C	1xQPAR16 MAX 50W	GU10	20		Aluminium	1,000 Baht
Accessories		 					
		1 Curcuit 3 Curcuit					



LOOK SURFACE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	IC40036	1xQPAR16 MAX 50W	GU10	20		Aluminium	1,200 Baht



VINCE 8 | VINCE 18

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ITR30032-8W	8W COB LED	565lm	2700K-6000K	90	18° 24° 36° 60°	20	○ ● ●	Aluminium	2,200 Baht
2	ITR30033-18W	18W COB LED	1697lm	2700K-6000K	90	18° 24° 36° 60°	20	○ ● ●	Aluminium	3,500 Baht

Accessories

1 Circuit

3 Circuit




ZOOM 18 | ZOOM 28

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ITR30034-18W	18W COB LED	510lm	2700K-6000K	90	12.5°-45°	20	○ ● ●	Aluminium	4,750 Baht
2	ITR30035-25W	25W COB LED	940lm	2700K-6000K	90	12.5°-45°	20	○ ● ●	Aluminium	6,000 Baht

Accessories


1 Circuit

3 Circuit



BAMBOO

Installation




BAMBOO

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IS30007	5x1.4W SMD LED	2700K-6000K	90	15° 25°	20	○ ● ●	Aluminium	9,500 Baht



SHOW

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IS30011-3W	3W SMD LED	2700K-6000K	90	10° 15° 30° 50°	20	○ ● ●	Aluminium	1,300 Baht



SHELF A | SHELF B | SHELF C

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IC30177-1W	1.4W SMD LED	51lm	3000K-5000K	80	15° 25°	20	○ ● ●	Aluminium	1,500 Baht
2	IC30219-3W	3W SMD LED	181lm	2700K-6000K	93	10° 15° 30° 50°	44	○ ● ●	Aluminium	1,300 Baht
3	IC30301-5W	5W SMD LED	410lm	2700K-6000K	93	18° 24° 36° 60°	44	○ ● ●	Aluminium	2,600 Baht
3.1	IC30301-8W	8W SMD LED	548lm	2700K-6000K	93	18° 24° 36° 60°	44	○ ● ●	Aluminium	2,900 Baht

4



BEDSIDE
Indoor
Wall Light




SUAU

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	62127	3W SMD LED	140lm	3000K	80	30°	20		Aluminium	5,400 Baht
2	62122	3W SMD LED	140lm	3000K	80	30°	20		Aluminium	6,900 Baht




ROOM

	Product	Lamp	Socket	IP	Color	Materials	Price
1	29976	1xTC-DSE MAX 15W	E27	20		Aluminium+Fabric	5,300 Baht
+							
		Lamp	Lumens	CCT	CRI	Beam Angle	IP
		3W SMD LED	140lm	3000K	80	30°	20





IRIS & LUCA

	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IW30022	3W SMD LED	140lm	3000K	80	30°	20	●	Aluminium + Steel	3,800 Baht
2	IW30023CH L IW30024CH R	3W SMD LED	140lm	3000K	80	30°	20	●	Aluminium + Steel	4,500 Baht



TANGO & VOLK


	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IW30001	3W SMD LED	140lm	3000K	80	30°	20	○●	Aluminium + Steel	2,700 Baht
2	IW30021	3W SMD LED	140lm	3000K	80	30°	20	●	Aluminium + Steel	3,100 Baht



ROBOT




	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	DW20025	3W SMD LED	140lm	3000K	80	30°	20		Aluminium + Steel	3,200 Baht





AUREA


	Product	Lamp	Lumens	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	62115	6W SMD LED	230lm	2700K	80	30°	20	☐ ☒ ☐	Steel+Aluminium	3,600 Baht





KUP S | KUP R

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	IW30045-3W	3W	2700K,3000K,3500K,4000K	90	10° 15° 25°30°50°	20	○●●	Aluminium	3,400 Baht
2	IW30050-3W	3W	2700K,3000K,3500K,4000K	90	10° 15° 25°30°50°	20	○●●	Aluminium	3,800 Baht







Indoor Wall Light




	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	W3A0112	3W SMD LED	2700K-4000K	80	90°	20	○ ● ●	Die-cast Aluminium	2,700 Baht
2	W3A0113	3W SMD LED	2700K-4000K	80	90°	20	○ ● ●	Die-cast Aluminium	3,300 Baht



Puck Quad



Mercury A




Mercury B



Pocket A



Pocket B LED



Paxton S



Paxton L

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	W3A0006	4x1W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	3,600 Baht
2	W3A0122	2x3W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	4,400 Baht
3	W3A0120	3W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	2,500 Baht


	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	W3A0066	1.4W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	1,900 Baht
2	R3B0018	1W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	1,500 Baht
3	IW30016	1W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	2,250 Baht
4	IW30018	3.5W SMD LED	2700K-4000K	80	90°	20	○●●	Die-cast Aluminium	1,750 Baht



Waltz



Truck



	Product	Lamp	Socket	IP	Color	Materials	Price
1	W4A0104	1xQT14 Max50W	G9	20	○●●	Aluminium	1,100 Baht
2	W2B0002	1xPLC Max26W	G24D-3	20	○●●	Aluminium	2,200 Baht




DICE

Dice wall light series is wall light in cubic shape with aluminum hair line texture. The body is made from pure aluminum built for longer lifespan finished in hair line texture. Products come available in one and two way lighting with LED light source available in warm white color.



Dice Smooth





	Product	Lamp	CCT	CRI	IP	Beam Angle	Color	Materials	Price
1	W3A0074	2x3W SMD LED	2700K-4000K	80	20	100°	○●●	Aluminium	3,800 Baht




5



OUTDOOR LIGHT



SUMMIT



NAS


	Product	Lamp	CCT	CRI	IP	Beam Angle	Color	Materials	Price
1	IW30043	1W SMD LED	2700K	80	67	100°	○●●	Aluminium	2,500 Baht

	Product	Lamp	CCT	CRI	IP	Beam Angle	Color	Materials	Price
1	EW40061-3W	3W SMD LED	3000K	80	65	62°	○●●	Stainless	2,200 Baht
2	EW40056-3W	3W SMD LED	3000K	80	65	62°	○●●	Stainless	2,200 Baht



RISE


	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUE2010	1xQPAR16 MAX 50W	GU10	65	○●●	Aluminium	2,500 Baht
2	EG30026	1xTC-DSE	E27	65	○●●	Aluminium	1,900 Baht





MINI RISE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUE2005	1XQR-CBC51 MAX 50W	GU5.3	67	●	Aluminium Body +Stainless Font Plate	1,550 Baht
2	LUE2006	1XQR-CBC51 MAX 50W	GU5.3	67	●	Aluminium Body +Stainless Font Plate	1,550 Baht


HATCH SQ



HATCH I



GRAVEX SX




GRAVEX RX




	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	R3A0024	3W SMD LED	3000K-6000K	80	90°	65	○●●	Die-cast Aluminium	2,750 Baht
2	R3A0027	3W SMD LED	3000K-6000K	80	90°	55	○●●	Die-cast Aluminium	2,750 Baht
3	EW40011	8.9W SMD LED	3000K-6000K	80	90°	65	○●●	Die-cast Aluminium	6,400 Baht
4	EW40012	8.9W SMD LED	3000K-6000K	80	90°	65	○●●	Die-cast Aluminium	5,400 Baht


Scale A




Scale B



Scale C1




Scale C2



5



Scale D1



SCALE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	EW40006	1xTC-D Max 18W	G24D-2	54	○●●	Aluminium	5,600 Baht
2	LUE1049	1xTC-D Max 18W	G24D-2	54	○●●	Aluminium	5,600 Baht
3	LUE1050	1xTC-S Max 9W	G23	54	○●●	Aluminium	5,600 Baht
4	EW40007	1xTC-S Max 11W	G23	65	○●●	Aluminium	7,300 Baht

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
5	R3A0024	3W SMD LED	3000K-6000K	80	90°	54	○●●	Aluminium	6,400 Baht




TRAM

	Product	Lamp	Socket	IP	Color	Materials	Price
1	75529 Wall light	1xTC-DSE MAX 20W	E27	44	○ ● ●	Aluminium Polycarbonate Diffuser	4,100 Baht
2	75530 Post Top	1xTC-DSE MAX 20W	E27	65	○ ● ●	Aluminium Polycarbonate Diffuser	5,800 Baht
3	75531 Bollard	1xTC-DSE MAX 20W	E27	65	○ ● ●	Aluminium Polycarbonate Diffuser	7,000 Baht



DATNA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74440 Wall light	1xTC-DSE MAX 20W	E27	44	○●●	Aluminium Polycarbonate Diffuser	5,400 Baht
2	74441 Post Top	1xTC-DSE MAX 20W	E27	44	○●●	Aluminium Polycarbonate Diffuser	6,100 Baht
3	74442 Bollard	1xTC-DSE MAX 20W	E27	44	○●●	Aluminium Polycarbonate Diffuser	7,900 Baht



KLAMP

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74409 Wall 1 Way	1xTC-DSE MAX 15W	E27	44	☐ ☒ ☐	Aluminium Polycarbonate Diffuser	3,800 Baht
2	74408 Wall 2 Way	2xQPAR16 MAX 35W	GU10	44	☐ ☒ ☐	Aluminium Polycarbonate Diffuser	3,300 Baht
3	74411 Bollard	1xTC-DSE MAX 15W	E27	44	☐ ☒ ☐	Aluminium Polycarbonate Diffuser	9,000 Baht



MOON

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74432 Wall Light	1xTC-DSE MAX 20W	E27	44	○ ● ●	Aluminium Pmma Opal Diffuser	4,200 Baht
2	74433 Post Top	1xTC-DSE MAX 20W	E27	44	○ ● ●	Aluminium Pmma Opal Diffuser	4,200 Baht
3	74434 Bollard	1xTC-DSE MAX 20W	E27	65	○ ● ●	Aluminium Pmma Opal Diffuser	5,000 Baht
Accessories		 (74437) Pmma Opal diffuser					




MUFFIN

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74432 Wall Light	1xTC-DSE MAX 20W	E27	44	○●●	Die-cast Aluminium	4,400 Baht
2	74433 Post Top	1xTC-DSE MAX 20W	E27	44	○●●	Die-cast Aluminium	4,400 Baht
3	74434 Bollard	1xTC-DSE MAX 20W	E27	44	○●●	Die-cast Aluminium	5,200 Baht
Accessories		 (74429)					



MISTU

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74432 Wall Light	1xTC-DSE MAX 20W	E27	44	☐ ☒ ☐	Aluminium+Pmma Opal Diffuser	3,900 Baht
2	74433 Post Top	1xTC-DSE MAX 20W	E27	44	☐ ☒ ☐	Aluminium+Pmma Opal Diffuser	3,900 Baht
3	74434 Ballard	1xTC-DSE MAX 20W	E27	44	☐ ☒ ☐	Aluminium+Pmma Opal Diffuser	4,600 Baht
Accessories		 (74428) Pmma Opal diffuser					




ALP

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	74450	7W SMD LED	3000K-6000K	80	180°	54	○●●	Die-cast Aluminium	6,000 Baht
2	74451	12W SMD LED	3000K-6000K	80	180°	54	○●●	Die-cast Aluminium	7,600 Baht




GINA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	71367 Wall Lamp	1xQPAR16 MAX 35W	GU10	44	○●●	Aluminium	1,800 Baht
2	71352 Beacon	1xQPAR16 MAX 35W	GU10	44	○●●	Aluminium	4,600 Baht




VIEW

	Product	Lamp	Socket	IP	Color	Materials	Price
1	71519 Wall Lamp+ Wall Washer	1xTC-DSE MAX 15W	E27	54	☐ ☒ ☐	Aluminium	3,600 Baht



PROA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74400 Wall Lamp+ Wall Washer	1xQPAR16 MAX 35W	GU10	44	○●●	Aluminium	2,400 Baht



DRAGMA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	71362 Wall Lamp	1xTC-DEL G24Q-2 18W	G24	65	○●●	Aluminium	6,000 Baht





ÁNCORA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	74401 Wall Light	1xTC-DSE MAX 20W	E27	44	☐ ☒ ☐	Aluminium	2,900 Baht




CERRES

	Product	Lamp	Socket	IP	Color	Materials	Price
1	71607 Wall Light	1xTC-DSE MAX 20W	E27	44	○●●	Aluminium + Polycarbonate	4,200 Baht
2	71608 Wall Light	2xTC-DSE MAX 20W	E27	44	○●●	Aluminium + Polycarbonate	6,000 Baht



KUBICK

	Product	Lamp	Socket	IP	Color	Materials	Price
1	70715 Wall Light	1xTC-DSE MAX 60W	E27	44	☐ ☒ ☐	Aluminium	4,000 Baht



SHADOW

	Product	Lamp	CCT	CRI	IP	Color	Materials	Price
1	72311 Bollard	10W SMD LED	3000K-6000K	80	65	☐ ☒ ☐	Aluminium	11,000 Baht



GROW

Product	Lamp	CCT	CRI	IP	Color	Materials	Price
1 71205 Wall Light	9W SMD LED	3000K-6000K	80	44	  	Aluminium	4,600 Baht
2 71207 Bollard	9W SMD LED	3000K-6000K	80	65	  	Aluminium	6,600 Baht
Accessories		 Flowerpot (700 Baht)					



TROY

	Product	Lamp	CCT	CRI	IP	Color	Materials	Price
1	EW30004 Beacon	3W SMD LED	3000K-6000K	80	54	☐ ☒ ☐	Aluminium	2,700 Baht



CYCLONE


	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUE1089	1xTC-DSE MAX 15W	E27	65	☐ ☒ ☐	Aluminium	800 Baht






FOSSIL

	Product	Lamp	Socket	IP	Color	Materials	Price
1	EC20002	1xTC-DSE MAX 15W	E27	55		Aluminium	1,350 Baht
2	EC20001	1xTC-DSE MAX 15W	E27	55		Aluminium	1,500 Baht



JETZ

	Product	Lamp	Socket	IP	Color	Materials	Price
1	W4A0006	1xQPAR16 MAX 50W	GU10	54		Aluminium	1,400Baht
2	W2A0003	1xTC-DSE MAX 8W	E27	54		Aluminium	2,100 Baht
3	W4A0005	2xQPAR16 MAX 50W	GU10	54		Aluminium	2,800 Baht



TANK

	Product	Lamp	Socket	IP	Color	Materials	Price
1	W4A0003	1xQPAR16 MAX 50W	GU10	54		Aluminium	1,900 Baht
2	W4A0004	1xQPAR16 MAX 50W	GU10	54		Aluminium	3,600 Baht



TANK | BOOTH

	Product	Lamp	Socket	IP	Color	Materials	Price
3	W4A0009	1xQPAR16 MAX 50W	GU10	54		Aluminium	4,850 Baht
4	W4A0001	1xQT14 G9 MAX 50W	G9	54		Aluminium	3,600 Baht




ALTI CHANNEL

	Product	Lamp	Socket	IP	Color	Materials	Price
1	EW40009	1xTC-DSE MAX 20W	E27	54	☐ ☒ ☐	Aluminium	1,350 Baht
2	EW40008	1xTC-DSE MAX 20W	E27	54	☐ ☒ ☐	Aluminium	1,750 Baht




ALTI CHANNEL

	Product	Lamp	Socket	IP	Color	Materials	Price
3	EW40026	1xTC-DSE MAX 20W	E27	54	☐ ☒ ☐	Aluminium	2,100 Baht
4	EW40023	1xTC-DSE MAX 20W	E27	54	☐ ☒ ☐	Aluminium	2,600 Baht



ALTI PIPE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	EW20001	1xTC-DSE MAX 20W	E27	54	○●●	Aluminium	1,300 Baht
2	EW20002	2xTC-DSE MAX 20W	E27	54	○●●	Aluminium	1,600 Baht




ALTI PIPE


	Product	Lamp	Socket	IP	Color	Materials	Price
3	EW20003	1xTC-DSE MAX 20W	E27	54	○●●	Aluminium	1,800 Baht
4	EW20004	1xTC-DSE MAX 20W	E27	54	○●●	Aluminium	2,250 Baht




Shine Cap Spike





Shine Cap Mount



Shine Mask Spike





	Product	Lamp	Socket	IP	Color	Materials	Price
1	LUE2021	PAR38 Max120W	E27	65	○ ● ●	Aluminium	2,650 Baht
2	EG30002	PAR38 Max120W	E27	65	○ ● ●	Aluminium	2,450 Baht
3	LUE2011	PAR38 Max120W	E27	65	○ ● ●	Aluminium	2,450 Baht



PROJECT 7 SPIKE | PROJECT 13 SPIKE

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ES40050 -7W	7W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	6,500 Baht
2	ES40051 -13W	13W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	7,900 Baht

Installation



INSTA 7 | INSTA 15



	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ES40052 -10W	10W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	5,900 Baht
2	ES40053 -15W	15W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	8,000 Baht

Installation



SPARK

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ES30020	11W	2700K,3000K,4000K,6000K	80	5°,12.5°20°30°45°	65	○●●	Aluminium	9,900 Baht
2	ES30018	20W	2700K,3000K,4000K,6000K	80	5°,12.5°20°30°45°	65	○●●	Aluminium	11,400 Baht
3	ES30021	30W	2700K,3000K,4000K,6000K	80	5°,12.5°20°30°45°	65	○●●	Aluminium	13,700 Baht



SPARK

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ES30025	20W	2700K,3000K,4000K,6000K	80	5° 12.5° 20° 30° 45°	65	○●●	Aluminium	11,400 Baht
2	ES30026	30W	2700K,3000K,4000K,6000K	80	5° 12.5° 20° 30° 45°	65	○●●	Aluminium	13,700 Baht



RACE R




RACE S



KLONE I



KLONE 5



	Product	Lmap	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	UG30050-1W	1W	2700K,3000K,4000K,6000K	80	15° 30° 45°	65	○●●	Aluminium	1,900 Baht
2	UG30050-3W	3W	2700K,3000K,4000K,6000K	80	15° 30° 45°	65	○●●	Aluminium	1,900 Baht
3	UG30049-3W	3W	2700K,3000K,4000K,6000K	80	15° 30° 45°	65	○●●	Aluminium	2,000 Baht

Installation

Recessed

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	UG30048-1W	1W	2700K,3000K,4000K,6000K	80	60°	65	○●●	Aluminium	1,800 Baht
2	UG30051-5W	5W	2700K,3000K,4000K,6000K	80	13° 23°	65	○●●	Aluminium	4,800 Baht




Installation

Recessed

KLONE 10



KLONE 15



PROJECT 7 SURFACE | PROJECT 13 SURFACE

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	UG30052-10W	10W	2700K,3000K,4000K,6000K	90	13° 23°	65		Aluminium	4,800 Baht
2	UG30053-15W	15W	2700K,3000K,4000K,6000K	90	13° 23°	65		Aluminium	7,500 Baht

Installation

Recessed

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	ES40048-7W	7W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	6,000 Baht
2	ES40049-13W	13W	2700K,3000K,4000K,6000K	80	13° 23°	65		Aluminium	8,500 Baht

Installation



CRAFT GS | CRAFT BL

	Product	Lamp	Socket	IP	Color	Materials	Price
1	ES40070/BK-GU10/GS	1xQPAR16 MAX 50W	GU10	65	○ ● ●	Aluminium	1,250 Baht
2	EP10022-BK/S	1xQT9 MAX 50W	G4	65	○ ● ●	Aluminium	2,900 Baht




CRAFT SM

	Product	Lamp	Socket	IP	Color	Materials	Price
3	ES40019/B-GU10/B	1xQPAR16 MAX 50W	GU10	65	○ ● ●	Aluminium	2,600 Baht
4	ES40070/BK-GU10	1xQPAR16 MAX 50W	GU10	65	○ ● ●	Aluminium	1,400 Baht


Accessories


Tree Strap



SPARK PRO S


	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	EF30032-6W	6W	RGB	80	15° 25° 35° 50°	65	●●●	Aluminium	11,000 Baht
1.1	EF30032-6W	6W	2200K-6500K(TUNABLE)	80	15° 25° 35° 50°	65	●●●	Aluminium	11,000 Baht
1.2	EF30034-12W	12W	RGB	80	18° 27° 41° 70°	65	●●●	Aluminium	11,000 Baht
1.3	EF30034-12W	12W	2200K-6500K(TUNABLE)	80	18° 27° 41° 70°	65	●●●	Aluminium	11,000 Baht
2	EF30036-20W	20W	RGB	80	18° 27° 41° 70°	65	●●●	Aluminium	20,000 Baht
2.1	EF30037-20W	20W	2200K-6500K(TUNABLE)	80	18° 27° 41° 70°	65	●●●	Aluminium	19,000 Baht







SPARK PRO M

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	EF30026-20W	20W	RGB	80	15° 36° 46° 70°	65	●●●	Aluminium	19,000 Baht
1.1	EF30026-20W	20W	1900K-6500K(TUNABLE)	80	15° 36° 46° 70°	65	●●●	Aluminium	19,000 Baht
2	EF30028-40W	40W	RGB	80	8° 15° 25° 35°	65	●●●	Aluminium	35,000 Baht
2.1	EF30029-40W	40W	2200K-6500K(TUNABLE)	80	11° 15° 25° 35°	65	●●●	Aluminium	31,000 Baht
3	EF30030-40W	40W	RGB	80	11° 18° 38° 73°	65	●●●	Aluminium	35,000 Baht
3.1	EF30030-40W	40W	1900K-6500K(TUNABLE)	80	11° 18° 38° 73°	65	●●●	Aluminium	35,000 Baht






SPARK PRO L

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	EF30022-80W	80W	RGB	80	8° 15° 25° 35°	65		Aluminium	49,000 Baht
1.1	EF30023-80W	80W	1900K-6500K(TUNABLE)	80	11° 15° 25° 35°	65		Aluminium	46,000 Baht
2	EF30024-80W	80W	RGB	80	11° 18° 38° 73°	65		Aluminium	60,000 Baht
2.1	EF30024-80W	80W	2200K-6500K(TUNABLE)	80	11° 18° 38° 73°	65		Aluminium	60,000 Baht





SPARK PRO XL

	Product	Lamp	CCT	CRI	Beam Angle	IP	Color	Materials	Price
1	EF30013-120W	120w	RGB	80	8° 15° 25° 35°	65	○●●	Aluminium	80,000 Baht
1.1	EF30018-120W	120w	2200K-6500K(TUNABLE)	80	8° 15° 25° 35°	65	○●●	Aluminium	72,000 Baht
1.2	EF30019-180W	180w	RGB	80	8° 15° 25° 35°	65	○●●	Aluminium	110,000 Baht
1.3	EF30020-180W	180w	2200K-6500K(TUNABLE)	80	8° 15° 25° 35°	65	○●●	Aluminium	120,000 Baht
2	EF30021-120W	120w	2200K-6500K(TUNABLE)	80	15° 36° 46° 70°	65	○●●	Aluminium	96,000 Baht



6





DECORATIVE LIGHT



FUSTA



	Product	Lamp	Socket	IP	Color	Materials	Price
1	28394 28393	1xTC-DSE MAX 20W	E27	20	○ ●	Fabric	8,500 Baht






TREE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	29864 Black 29865 White	1xTC-DSE MAX 100W	E27	20	● ○	Fabric+Metal	7,100 Baht 6,800 Baht
2	29866 Black 29867 White	1xTC-DSE MAX 60W	E27	20	● ○	Fabric+Metal	7,300 Baht 7,500 Baht
3	29868 Black 29869 White	1xTC-DSE MAX 60W	E27	20	● ○	Fabric+Metal	15,000 Baht



LINDA

	Product	Lamp	Socket	IP	Color	Materials	Price
1	29313	1xTC-DSE MAX 100W	E27	20	○ ● ●	Fabric+Metal	7,500 Baht
2	29311	1xTC-DSE MAX 100W	E27	20	○ ● ●	Fabric+Metal	6,600 Baht



WINCH

	Product	Lamp	Socket	IP	Color	Materials	Price
1	66204	1xTC-DSE MAX 60W	E27	20		Metal+Glass	5,500 Baht
2	66200	1xTC-DSE MAX 60W	E27	20		Metal+Glass	5,500 Baht
2	66205	1xTC-DSE MAX 60W	E27	20		Metal+Glass	8,200 Baht





PLANET

	Product	Lamp	CCT	CRI	IP	Color	Materials	Price
1	65047	12W SMD LED	3000K	80	20	 	Metal	9,000 Baht




HELMET

	Product	Lamp	Socket	IP	Color	Materials	Price
1	71158 White	2xTC-DSE MAX 12W	E27	20		Aluminium+Glass	8,000 Baht
	71159 Brown						




SIDE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	62132 White	1xQT14 G9 MAX 5W	G9	20	○	Metal+Glass	3,000 Baht
	62134 Black+Gold				●		
	62135 Black+Copper				●		
2	62144 White	SMD LED 20W 3000K	-	20	○	Metal+Glass	8,100 Baht
	62146 Black+Gold				●		10,000 Baht
	62147 Black+Copper				●		9,400 Baht




HAN

Product			Lamp	CCT	CRI	IP	Color	Materials	Price
1	01000	White	6W SMD LED	2700K	80	20	○	Metal	7,600 Baht
	01001	Black					●		




DUOMO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20043	1xTC-DSE MAX 12W	E27	55		Aluminium	8,100 Baht
2	DP20042	1xTC-DSE MAX 12W	E27	55		Aluminium	8,100 Baht
3	DP20085	1xTC-DSE MAX 12W	E27	55		Aluminium	9,000 Baht
4	DP20083	1xTC-DSE MAX 12W	E27	55		Aluminium	13,000 Baht



ROYSTON

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20044	1xTC-DSE MAX 9W	E27	20		Glass	7,000 Baht
2	DF20005	1xTC-DSE MAX 9W	E27	20		Metal	8,500 Baht
3	DT20004	1xTC-DSE MAX 9W	E27	20		Metal	5,000 Baht



LOTUS

	Product	Lamp	CCT	CRI	IP	Glass	Materials	Price
1	DP20156-1A	5W COB LED	3000K-6000K	80	20	●○	Glass	15,000 Baht
2	DP20156-1B	5W COB LED	3000K-6000K	80	20	●○	Glass	15,000 Baht
3	DP20156-1C	5W COB LED	3000K-6000K	80	20	●○	Glass	15,000 Baht



ASHLEY

Product	Lamp	Socket	IP	Color	Materials	Price
1 DP20082	1xTC-DSE MAX 15W	E27	20	Mable color cable color	Mable	4,100 Baht



STANTON

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DF20002	1xTC-DSE MAX 15W	E27	55	○●●	Metal	15,500 Baht
2	DT20002	1xTC-DSE MAX 15W	E27	55	○●●	Metal	6,900 Baht



COWBELL

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20158	4xQT14 G9 MAX 7W	G9	20	○●●●●	Aluminium	7,200 Baht
2	DP20157	1xTC-DSE MAX 5W	E27	20	○●●●●	Aluminium	22,000 Baht



BROM

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20071S	1xTC-DSE MAX 15W	E27	20	●●	Metal	6,900 Baht
2	DP20071L	1xTC-DSE MAX 15W	E27	20	●●	Metal	12,000 Baht



BLOOM

	Product	Lamp	Socket	IP	Color	Materials	Price
3	DP20072S	1xTC-DSE MAX 15W	E27	20	●●	Metal	7,500 Baht
4	DP20072L	1xTC-DSE MAX 15W	E27	20	●●	Metal	13,500 Baht



CENTO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20003	1xTC-DSE MAX 60W	E27	20	  	Metal	2,900 Baht
2	DP20003	1xTC-DSE MAX 60W	E27	20		Metal	3,700 Baht



CENTO WALL

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DW20001	1xTC-DSE MAX 60W	E27	20	 	Metal	4,200 Baht



MARINO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20020	1xTC-DSE MAX 60W	E27	20	●	Metal	2,900 Baht



MARINO WALL


	Product	Lamp	Socket	IP	Color	Materials	Price
1	DW20002	1xTC-DSE MAX 60W	E27	20	●	Metal	4,700 Baht



SONIC

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20198-D31	1xQT14 G9 MAX 20W 220V	G9	20		Metal	15,000 Baht
2	DP20198-D36	1xQT14 G9 MAX 20W 220V	G9	20		Metal	18,000 Baht






DIAMOND

	Product	Lamp	CCT	CRI	IP	Color	Materials	Price
1	DP20199-D65	60x0.75W SMD LED	3000K	80	20		Matal	85,000 Baht
2	DP20199-D75	60x0.75W SMD LED	3000K	80	20		Matal	89,000 Baht
3	DP20199-D85	60x0.75W SMD LED	3000K	80	20		Matal	92,000 Baht



LAVIS


	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20200-D32	1xTC-DSE MAX 60W	E27	20	●	Matal	16,000 Baht
2	DP20200-D48	1xTC-DSE MAX 60W	E27	20	●	Matal	33,000 Baht






DELUXE

	Product	Power	Socket	IP	Color	Materials	Price
1	DP20201-D19	1xTC-DSE MAX 60W	E27	20	●	Matal	11,000 Baht
2	DP20201-D29	1xTC-DSE MAX 60W	E27	20	●	Matal	17,000 Baht
3	DP20201-D39	1xTC-DSE MAX 60W	E27	20	●	Matal	19,000 Baht





GALWING

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20202	1xQT14 G9 MAX 40W	G9	20		Aluminium	29,000 Baht



CHALIZ

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20203-D22	1xTC-DSE MAX 40W	E27	20	○●●	Glass	7,900 Baht
2	DP20203-D25	1xTC-DSE MAX 40W	E27	20	○●●	Glass	7,200 Baht
3	DP20203-D30	1xTC-DSE MAX 40W	E27	20	○●●	Glass	10,500 Baht
4	DP20203-D35	1xTC-DSE MAX 40W	E27	20	○●●	Glass	9,900 Baht



CHALUZ

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20205-D25	1xTC-DSE MAX 4W	E27	20	●●●	Glass	9,200 Baht
2	DP20205-D35	1xTC-DSE MAX 4W	E27	20	●●●	Glass	15,000 Baht
3	DP20205-D44	1xTC-DSE MAX 4W	E27	20	●●●	Glass	20,000 Baht




IRIS ROUND

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20204-D20	1xTC-DSE MAX 4W	E27	20		Glass	7,500 Baht
2	DP20204-D25	1xTC-DSE MAX 4W	E27	20		Glass	11,000 Baht
3	DP20204-D30	1xTC-DSE MAX 4W	E27	20		Glass	12,000 Baht



COTTON

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20206-D30	1xTC-DSE MAX 4W	E27	20		Glass	10,000 Baht
2	DP20206-D33	1xTC-DSE MAX 4W	E27	20		Glass	12,000 Baht
3	DP20206-D42	1xTC-DSE MAX 4W	E27	20		Glass	15,000 Baht



DALIN



	Product	Lamp	Socket	IP	Color	Materials	Price
1	DP20207-D18	1xTC-DSE MAX 60W	E27	20		Metal Stainless Steel	5,900 Baht
2	DP20207-D28	1xTC-DSE MAX 60W	E27	20		Metal Stainless Steel	7,500 Baht
3	DP20207-D40	1xTC-DSE MAX 60W	E27	20		Metal Stainless Steel	13,000 Baht



DELUXE TABLE

	Product	Lamp	Socket	IP	Color	Materials	Price
1	DT20033-D25	1xTC-DSE MAX 60W	E27	20		Metal	15,000 Baht



MONACO

	Product	Lamp	Socket	IP	Color	Materials	Price
1	LIF12-W LIF12-P	1xTC-DSE MAX 60W	E27	20		Stainless Steel	3,500 Baht

LUXRAM

LEDของคนมีไฟ

NEW ARRIVAL

FLOOD LIGHT

New



STREET LIGHT

New



HIGH BAY UFO LIGHT

New



Contact



Light up design Co.,Ltd


Light up design Co.,Ltd

1265 Rama 9 Road, Pattanakarn, Suan Luang, Bangkok 10250

Tel.02-374-2732,091-772-9997 Fax.02-375-3742

E-mail: info@lightupdesign.com

www.lightupdesign.com



CDC Showroom

1420/1 Praditmanutham Road, Klongjan, Bangkok 10240


Cystal design center CDC phase2 L2 unit 101-106

CDC Ekamai-Ramintra

Tel.02-102-2511

E-mail: info@lightupdesign.com

www.lightupdesign.com



Light up Phuket

Lightup Design Co., Ltd. (Branch Phuket)

188/12 Moo 5, Tambon Rassada, Pracha Uthit Rd

Amphoe Muang Phuket ,Phuket 8300

Tel. +66 (0) 63-217-4727

Fax. +66 (0) 76-604-330

LIGHT UP DESIGN



 lightupdesign.com



 [lightupdesign.official](https://www.facebook.com/lightupdesign.official)